SEQUENCE LISTING

<110> Young, Won-Bin
       Link, Charles J.

<120> METHODS FOR HIGH THROUGHPUT ELUCIDATION OF TRANSCRIPTIONAL
       PROFILES AND GENOME ANNOTATION

<130> P05768US01

<140> US
<141> 2004-03-26

<150> US 60/458,152
<151> 2003-03-27

<160> 9

<170> PatentIn version 3.2

<210> 1
<211> 11
<212> DNA
<213> Unknown

<220>
<223> A hemi-methylated cleaved by BglI

<220>
<221> misc_feature
<222> (4)..(8)
<223> n is a; c, g, or t

<400> 1
gccnnnnnggg c   11

<210> 2
<211> 23
<212> DNA
<213> Artificial sequence

<220>
<223> Primer

<400> 2
gcaccgcctg gagaagacct acg   23

<210> 3
<211> 19
<212> DNA
<213> Artificial sequence

<220>
<223> Primer

<400> 3
ggcggggctc aggatgtcg   19

<210> 4
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Nested primer

<400> 4
gagcagcacg agaccgccat c   21

<210> 5
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Nested primer

<400> 5
gttgttcacc acgccctcca g   21

<210> 6
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Primer

<400> 6
gcctcttcgc tattacgcca g   21

<210> 7
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<223> Primer

<400> 7
cggctcgtat gttgtgtgga at   22

2

```
<210>  8
<211>  31
<212>  DNA
<213>  Artificial sequence

<220>
<223>  Oligonucleotide strand, wherein N denotes a random nucleotide


<220>
<221>  misc_feature
<222>  (30)..(31)
<223>  n is a, c, g, or t

<400>  8
gggaataagg gcgacacgga aatggtaccn n                                31


<210>  9
<211>  29
<212>  DNA
<213>  Artificial sequence

<220>
<223>  Oligonucleotide strand

<400>  9
ggtaccattt ccgtgtcgcc cttattccc                                   29
```